

Provitro AG

Charitéplatz 1

tel +49.30.450 578 358

sales@provitro.de www.provitro.de

Charité Campus Mitte

10117 Berlin fax +49.30.450 578 919

Osteoblast growth medium, basal

Cat.-Nr.: 200 0301

contains of:

Basal media		Supplements
200 0301	500 ml Osteoblast growth medium, basal	-

Take care: basal medium, requires further supplementation for cell culture of human osteoblasts!

Maintenance of osteoblast growth medium:

Place the bottle of **basal medium** in the dark at **4°C to 8°**C immediately after delivery.

Characteristics:

The Provitro osteoblast growth medium is a sterile liquid culture medium for culturing human osteoblasts (HOB). The medium is delivered as a basal medium **w/o Ca, Mg** and is suitable for culturing HOB **after adding the optional available essential supplement kit components**. The final formulation is optimized for initial seeding of 2,000 cells / cm² up to confluence (up to first cell contact). Feeder-layer, matrix substrates or other substances are not necessary.

Stability and storage:

The supplemented osteoblast growth medium can be stored in the dark at 4°C to 8°C for up to 1 month. Do not heat the medium over 37°C or use uncontrollable sources of heat (e.g. microwave appliances). If only a part of the medium is to be used, remove this amount from the bottle and heat it.

Special note:

Do not freeze the medium. This can lead to high salt concentrations by freezing out pure water which will cause irreversible damage.

Quality control:

Provitro's osteoblast growth medium is thoroughly tested after each production. All components are tested in a stringent biological assay. Each batch is checked for HOB proliferating characteristics. The cells cultured in osteoblast growth medium are checked regarding their morphology, the adherence rate, the colony forming efficiency and the population doubling time.

Product specification:

The pH is set at 7.6 and osmolality at 285 \pm 10 mOsm / kg.

In vitro laboratory use only.

Not intended for any human or animal diagnostic or therapeutic use.